# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.61

# Peonies



COTTAGE GARDENS CO.

INCORPORATED

NURSERIES

QUEENS, LONG ISLAND, N. Y.

# HOW TO REACH OUR NURSERIES

UR Nurseries are situated at Queens, Long Island, about twelve miles from the centre of New York City and three miles east of Jamaica. They are easily reached by automobile via the Queensboro Bridge, Queens Boulevard and Hillside Avenue. They can also be reached by train from Pennsylvania Station. Visitors coming by train will be met at Queens Station if they will notify us of the time of their intended arrival.

#### TERMS

All prices net. Positively no discounts.

# Herbaceous Peonies



ITHIN the past ten years this magnificent section of hardy herbaceous flowering plants has been brought into very prominent notice because of the general improvement in varieties and comparatively recent origin. In these newer sorts the flowers have attained immense proportions, reaching in some instances the large size of seven to nine inches in diameter and five

seven to nine inches in diameter and five to six inches in depth. The range of color is also so varied that almost every tint of pink, white, red, crimson and even yellow is comprised in the list. The vigor and habits of the plants have been so improved that stems two and one-half to four feet in length, and sufficiently strong to properly support the immense blooms, are now grown. There is an element of practical, permanent value in the Peony; that is, the plants, once purchased and planted in suitable soil, continue to increase in size and profusion of bloom, and pay a generous annual dividend in the way of an enormous crop of magnificent, deliciously fragrant blooms that are unsurpassed for decorating purposes. During the past seasons the popular use of Peonies for decorative purposes is amply evidenced by the greatly increasing sale of the cut blooms in the large cities, where thousands of splendid flowers found ready market at handsome prices. This increased demand may be accounted for by the introduction of more recent varieties, which are wonderful improvements over the older sorts. The popular interest in the Peony has received an additional impetus from the organization of the American Peony Society, which comprises within its membership the majority of the largest commercial Peony growers, as well as many amateurs.

Our stock, consisting of 100,000 plants and upward, comprising approximately, 400 varieties, has been selected with the greatest care and contains all the choicest and most desirable sorts of either recent or earlier introduction. All of the descriptions in this Catalogue are abbreviated from the detailed descriptions in the official bulletins of the American Peony Society.

#### Preparation of Soil for Peonies, and Culture

The Peony is a gross feeder and the richest soil is none too good. They furnish the strongest stems and the largest and most desirable flowers when planted in situations where the soil retains a moderate degree of dampness, and they are particularly adapted to planting in the vicinity of ponds or along the borders of streams where capillary attraction will furnish the roots with a steady supply of moisture. They should, however, be planted sufficiently far away from the border of streams or ponds to avoid flooding, or water standing upon the plants, and the soil should be so drained as to avoid any tendency of a swampy nature.

Where the finest flowers are desired, the soil for the Peony bed should be prepared as follows: An excavation the full size of the bed should be made two or three feet in depth, according to the character of the subsoil. If the subsoil is of a loamy nature, and of such texture as will retain moisture nicely, and admit of the growth of an abundant root system, the bed may be excavated to the depth of two feet, and a layer of six inches in thickness of thoroughly well-rotted cow manure should be spread on the bottom, and well spaded in. If the soil taken out is of a stiff, clayey nature it should

be lightened by the addition of sand, leaf mold and thoroughly well-rotted manure, using in bulk one-third of the sand, leaf mold, and manure to two-thirds soil. This should be turned over two or three times, so that all of the ingredients will become evenly mixed and incorporated throughout the mass. Then fill up the excavation with this prepared soil, rounding it up at the center, which should stand about eight inches above the level of the lawn. In setting the plants, abundant room to allow them to develop into large clumps must be given. Each plant should be afforded a space equaling a circle three feet in diameter for its development. In setting the plants, space the crowns two and one-half to three inches below the surface of the soil, and firm the earth well around the roots. After the bed is planted it should be mulched with three or four inches of coarse, strawy manure, or that which contains a large proportion of forest leaves. In case the soil at the bottom of the bed is of a very light, sandy nature, or a dense, stiff, clay, or coarse, rocky gravel, the excavation should be continued to three feet, and this poor soil discarded and the entire bed filled with the prepared compost.

#### Time for Planting Peonies

The best time for planting the Peony is as early after the middle of August as the buds become ripened, and all planting should be finished not later than the 1st of November, although they may be safely planted as late as the soil can be cultivated in the Fall; but the late planted sorts will lose a year in reaching full normal development, and may as well be heeled in, in a cold frame, protected from the severe frosts, and planted the following Spring as early as the soil can be properly worked. Peonies may be as successfully planted in the Spring as in the Fall, but, as before stated, will take an additional year to develop into normal plants.

#### After Cultivation

There is no plant which will thrive, increasing in strength and beauty every year, with as little attention as the Peony. The third year after planting the ground will be entirely occupied and densely shaded by the foliage, so that comparatively few weeds will grow, and these may be easily removed. Each Fall, after the ground has become frozen, the tops of the Peonies should be cut off about three inches above the soil, and may be thrown back upon the bed to serve as mulching during the Winter time. This should be augmented by a liberal dressing of coarse manure. In the Spring this mulching should be taken up and the coarse parts removed from the bed, and the remaining fine stuff spaded into the soil to the depth of five or six inches, and the surface stirred around the crowns of the plants, care being taken not to break, mar or disturb the dormant crown buds.

During the seasons of extreme drought in April or May, the growth of the Peony plants may be much improved and the crop of flowers largely augmented in quality and size by drenching the beds thoroughly with water once or twice a week. The hose can be turned onto the bed and allowed to run until the soil is saturated to the depth of twelve or four-teen inches.

Peonies

	2-yr. ea.	3-yr. ea.
1—Achille (Calot, 1855). Shell pink, fading to lilac white. Early		\$2.00
2—Adolphe Rousseau (Dessert & Mechin 1890)		
Purplish garnet. Early	3.00	5.00
4—Akalu (Japan). See page 13	3.00	5.00
5—Alba sulphurea (Calot, 1860). Creamy white, center slightly flecked red. Midseason	1.00	2.00
6—Albert Crousse (Crousse, 1893). Very fresh salmon pink. Late	2.50	5.00
8—Alexander Dumas (Guerin, 1862). Rose, interspersed with salmon chamois. Early	2.00	0.00
midseason	1.00	2.00
9—Alexandriana (Calot, 1855). Rose. Early	1.00	2.00
10—Alfred de Musset (Crousse, 1885). Milky white, blush center and crimson flecks. Late	1.00	2.00
11—Alice de Julvecourt (Pele, 1857). Lilac white, finely flecked crimson. Early midseason	1.00	2.00
12—Alsace Lorraine (Lemoine, 1906). Cream white deepening to pale yellow. Late	5.00	7.50
14—Armand Rousseau (Dessert & Mechin, 1903). Dark pink with silvery reflex. Midseason	1.00	2.00
15—Armandine Mechin (Mechin, 1880). Violet crimson. Midseason	1.50	3.00
16—Asa Gray (Crousse, 1886). Pale lilac sprinkled with dots of deeper lilac. Midseason	2.50	5.00
17—Atrosanguinea (Calot, 1850). Dark rosy magenta. Midseason	1.00	2.00
18—Attraction (Hollis, 1906). See page 13		
19—Auguste Gauthier (Dessert & Mechin, 1890). Dark tyrian rose tipped silver. Midseason.	1.00	2.00
20—Auguste Lemonier (Calot, 1865). Uniform reddish violet. Midseason	1.50	3.00
21—Auguste Villaume (Crousse, 1895). Dark violet rose. Very late	1.00	2.00
22—Augustin d'Hour (Calot, 1867). Dark, brilliant solferino red, silvery reflex. Midseason	1.50	3.00
23—Aurore (Dessert, 1904). Lilac white, slightly	1.00	0.00
23—Aurore (Dessert, 1904). Lilac white, slightly flecked with crimson. Late	1.50	3.00
24—Avalanche (Crousse, 1886). Creamy white, slightly flecked with carmine. Midseason	1.50	3.00
25Alice Crousse (Calot, 1872). Light violet rose, slightly tinted light pink and salmon. Midseason	2.50	5.00
26—Andre Lauries (Crousse, 1881). Deep tyrian purple, slightly tinted white. Very late	1.00	2.00
27—Arthemise (Calot, 1861). Violet rose, slightly tinted salmon. Midseason	1.00	2.00
30-Battlefield (Hollis). Pure mauve. Midseason.	5.00	7.50

21		2-yr. ea₊	3-уг. ea.
31-	-Baroness Schroeder (Kelway). Flesh white fading to milk white. Midseason	\$1.50	\$3.00
32-	-Beaute de Villecante (Gombault, 1856). Light pink with a lilac-white collar. Midseason		
33-	to late	1.50	3.00
	and cream white with heavy carmine flecks in the center. Midseason	1.00	2.00
	-Belle Chatelaine (Guerin, 1861). Mauve rose with amber-white center. Midseason	1.00	2.00
36–	-Belle Douaisienne (Calot, 1861). Hydrangea pink, center prominently flecked crimson.	1.00	2.00
37_	Midseason	1.00	2.00
	Very late	1.00	- 2.00
	Berthe d'Hour (Calot, 1869). Tender pink with silvery shades. Midseason	1.50	3.00
	-Blanche Dessert (Dessert, 1888). Solferino red. Early	2.00	3.00
42-	-Boule Blanche (Crousse, 1892). Pure white.	2.00	3.00
43–	-Boule de Neige (Calot, 1862). Milk white flecked with crimson. Early midseason	1.00	2.00
44_	- <b>Buyckii</b> (Guerin, 1840). Deep pink collar, center salmon and creamy white. Mid-		4
	season	1.00	2.00
49-	-Canari (Guerin, 1861). White guards tinted pale pink, center amber-white changing to white. Late	1.00	2.00
50-	-Cameron (Crousse, 1879). Deep carmine red.		
<b>E</b> 1	-Cameron (Crousse, 1879). Deep carmine red. Late	1.50	3.00
	-Carmen (Lemoine, 1898). Very light pink		
	center flecked wtih crimson. Midseason	2.00	4.00
53-	-Carnot (Dessert, 1913). See page 13 -Carnea elegans (Calot, 1860). Lilac white		
34-	with amber-white center, flecked with crim-		
	son. Midseason	1.50	3.00
35-	-Carnea elegans (Guerin, 1850). Hydrangea pink, clearer center with some carmine.		
	Midseason	1.00	2.00
	-Cerisette. Violet rose. Early to midseason	2.00	3.00
57-	-Carnea triumphans (Guerin, 1852). Pale pink with amber-white collar. Midseason	1.00	2.00
58-	Ceres (Verdier, 1860). Pale lilac rose, center		
50	Ceres (Verdier, 1860). Pale lilac rose, center minutely flecked scarlet. Very early Charlemagne (Crousse, 1880). Lilac white	5.00	7.50
	with slight blush center. Late	1.00	2.00
60-	-Charlotte Cushman (Hollis). Solferino red.	2.00	4.00
61	Claude Gelle (Lamoine) Cream white Late	2.00	4.00 7.50
62~	-Claude Gelle (Lemoine). Cream white. Late. -Claire Dubois (Crousse, 1886). Even, clear,	3.00	
	deep violet rose, tipped white. Late  -Claude Lorrain (Crousse, 1884). Soft, fleshy pink shaded chamois. Midseason	1.50	3.00
63-	-Claude Lorrain (Crousse, 1884). Soft, fleshy	1.00	2.00
64-	-Clairette (Dessert). See page 13		
65-	Clementine Gillot (Crousse, 1885). Uniform	1.50	2.00
	light tyrian rose. Late	1.50	3.00

		2-yr. ea.	3-yr. ea.
66	-Clara Barton (Terry). Milk white, Very early	\$1.50	\$3.00
68—	-Comte de Paris (Guerin, 1842). Light pink, amber-white center flecked with crimson. Midseason	1.00	2.00
69—	-Comtesse O'Gorman (Crousse, 1895). Dark pink with cream reflex in the collar. Mid- season	3.00	5.00
70—	-Constant Devred (Calot, 1868). Dark red carmine. Very late	1.50	3.00
71—	-Couronne d'Or (Calot, 1873). Pure white, tipped with carmine. Late	1.00	2.00
72—	-Curiosity (Dessert & Mechin, 1886). Violet red with narrow center petals tipped yellow. Midseason	1.00	2.00
73	-Charles Binder (Guerin, 1860). Bright, deep pink shaded with purple. Late	1.00	2.00
	-Daubenton (Crousse, 1880). Violet rose, tipped silver. Midseason	1.00	2.00
	— <b>De Candolle</b> (Crousse, 1880). Uniform bright lilac purple. Late midseason	1.00	2.00
	- <b>Delachei</b> (Delache, 1856). Violet crimson. Midseason to late	1.00	2.00
	-Denis Helye (Verdier, 1860). Dark crimson rose. Midseason	1.00	2.00
85-	— <b>Descartes</b> (Dessert & Mechin, 1885). Aniline red, center lighter. Midseason	1.00	2.00
	—Directeur Aubry (Crousse, 1879). Clear amaranth. Late midseason	1.00	2.00
87-		1.00	2.00
88-	and milk white. Midseason	1.00	2.00
	-Docteur Bretonneau (Verdier, 1854). Pale lilac rose with some crimson flecks. Early midseason	1.00	2.00
	Docteur Caillot (Verdier, 1855). Brilliant tyrian rose. Midseason	1.00	2.00
93-	-Duc de Wellington (Calot, 1859). Pure white, sulphur center. Midseason	1.00	2.00
94-	rose collar, cream-white center flecked with crimson. Midseason	2.50	5.00
	-Duke of Devonshire (Kelway, 1896). Solfering red. Late	1.00	2.00
96-	—Duchesse de Nemours (Calot, 1856). Pure white. Early	1.00	2.00
	—Deborah Sayres (Shaylor). See page 13 —Duchess of Sutherland (Kelway). Lilac rose.		
	Late	5.00	<b>7.5</b> 0
	— <b>Delicatissima.</b> Very pale lilac rose. Midseason	1.00	2.00
101-	— <b>Dorchester</b> (Richardson, 1870). Pale pink. Late midseason	1.50	3.00

	2	2-yr.	3-yr.
107—	Edmond About (Crousse, 1885). Pale shell pink, deepening at center, flecked crimson.	ea.	ea.
108—	Late midseason	\$5.00	<b>\$7.5</b> 0
	rose. Midseason	2.00	4.00
	mine violet. Midseason	1.00	2.00
110	-Edulis superba (Lemon, 1824). Dark pink, even color. Early	1.00	2.00
112—	-Elwood Pleas (Pleas). Very soft shell pink. -Elie Chevalier (Dessert, 1908). Uniform	2.00	3.00
113-	tyrian rose, center flecked scarlet. Mid-	2.00	<b>5</b> 00
114—	season	3.00 1.50	5.00 3.00
115	-Enchantment (Hollis, 1907). Uniform pale lilac rose. Midseason	5.00	7.50
116—	-Emperor Nicolas (Crousse, 1897). Dark carmine red. Midseason	1.00	2.00
117—	-Enfant de Nancy (Crousse, 1896). Pale lilac rose fading to almost white. Late	1.00	2.00
118—	-Etendard du Grand Homme (Miellez, 1855).		4.00
119	Violet amaranth. LateEdwin Forrest (Hollis). Dark crimson. Mid-	2.00	
120-	season	1.50	3.00
121	ise. Midseason	1.00	2.00
	Midseason	5.00	- <b>7.5</b> 0
	cream-white center. Midseason	5.00	<b>7.5</b> 0
	-Eugene Verdier (Calot, 1864). Very light pink with lilac-white collar. Late	1.50	3.00
	-Eugenie Verdier (Calot, 1864). Pale pink, center deeper, flecked crimson. Midseason.	1.50	3.00
	-Eugene Reignoux (Dessert). Very brilliant carmine pink. Early	5.00	<b>7.5</b> 0
126—	-Estafette (Dessert, 1910). Clear velvety purple with silvery border. Very early	5.00	7.50
127—	-Enchantresse (Lemoine). Cream white with some crimson flecks. Very late	5.00	<b>7.5</b> 0
132—	-Felix Crousse (Crousse, 1881). Very brilliant red. Midseason	2.50	5.00
133	Festiva (Donkalaer, 1838). Pure paper white with crimson markings in center. Late	1.00	2.00
134—	Festiva Maxima (Miellez, 1851). Paper white with crimson markings in center.	1.00	2.00
135-	EarlyFlambeau (Crousse, 1897). Violet rose, silver		
138-	tipped. Late	1.50	3.00
	brilliant red. Very early	5.00	<b>7.5</b> 0
	-Fulgida (Parmentier, 1850). Purple shaded violet with silvery reflex. Midseason to late	1.00	2.00
145—	-Galathee (Lemoine, 1900). Flesh white, rose center. Very late	5.00	7.50

	2	2-yr. ea.	3-yr. ea.
146–	-General Bertrand (Guerin, 1845). Dark pink, silvery center. Early	\$1.00	\$2.00
	-George Washington (Guerin, 1850). Light tyrian rose tinted cream at base, center violet rose. Midseason	2.00	4.00
152—	-Germaine Bigot (Dessert, 1902). Pale lilac rose, center flecked crimson. Midseason	1.50	3.00
154-	-Gismonda (Crousse, 1895). Very fresh pink.	3.00	5.00
155—	-Gloire de Charles Gombault (Gombault, 1866). Light rose collar and crown, cream center. Midseason	3.00	5.00
156—	-Gloire de Chenonceaux (Mechin, 1880). Sol- ferino red, silver tipped with age. Late midseason	1.50	3.00
157—	-Gloire de Douai (Calot, 1880). Purplish crimson, black reflex. Midseason	1.00	2.00
	-Gloire de Touraine (Dessert, 1908). Brilliant red, shaded with purple. Very late	2.00	4.00
	-Glory of Somerset (Kelway). Violet rose, clearer center mixed with cream white. Midseason	1.00	2.00
160—	-Golden Harvest (Rosenfield, 1900). Pale lilac rose, cream white center, pink crown. Midseason	1.00	2.00
161–	-Grandiflora carnea plena (Lemon, 1824). Lilac white. Very early	1.00	2.00
162-	-Grandiflora nivea plena (Lemon, 1824).  Pure white with crimson dots in center. Early	1.00	2.00
163-	-Grandiflora rosea (Guerin, 1850). Light solferino red collar, center lighter shaded salmon. Midseason	1.00	2.00
	- <b>Graziella.</b> Flesh-pink collar, salmon-yellow center. Late	1.50	3.00
	-Gypsie (Hollis, 1904). See page 13		
	-Henry Demay (Calot, 1866). Aniline red with silvery reflex. Midseason	1.00	2.00
	-Henry Murger (Crousse, 1895). Uniform pure mauve. Late	1.50	3.00
176-	-Hesperus (Thurlow). Se page 13Humei (1810). Cherry pink. Very late	1.00	2.00
	-Humei carnea (Guerin, 1856). Clear cherry pink. Very late	1.00	2.00
	-Ho Gioku. See page 13		
183–	-Insignis (Guerin, 1850). Deep carmine-rose collar, light peach-blossom center. Midseason	1.00	2.00
184	-Irma (Calot, 1859). Violet rose with some	1.00	2.00
189–	yellow petals in the center. Late  -James Blanc (Crousse, 1883). Bright cerise.  Midseason	1.00	2.00
190–	-James Kelway (Kelway). Rosy white changing to milk white. Early midseason	1.50	3.00
	-Jenny Lind. Uniform pale pink. Midseason.	1.00	2.00
192-	-Jeanne d'Arc (Calot, 1858). Pale lilac rose, cream-white center, pink crown. Early	1.00	2.00

	2-yr.	3-yr.
193–	-J. B. Rendatler (Calot, 1866). Clear cherry	ea.
195-	pink, white reflex. Late midseason\$1.00  -John Hancock (Hollis, 1907). Dark crimson.	\$2.00
	Midseason 2.00	3.00
196–	-Jules Calot (Calot, 1861). Dark pink with silvery reflex. Midseason	5.00
201-	-Karafune (Japan). See page 14	
202-	-Kumagoe (Japan). See page 14	
203-	-Kinokimo. See page 14	
204-	-Kameno Kerogama. See page 14	
205-	-La Fraicheur (Dessert). See page 14	
206-	-La Coquette (Guerin, 1861). Light pink	
	crown and collar, center very white with	2.00
200	carmine flecks. Midseason	2.00
208-	-Lady Beresford (Kelway). Bright pink. Mid- season	3.00
209_	-La Fiancee (Lemoine 1898) Pure white	0.00
200	-La Fiancee (Lemoine, 1898). Pure white, center flecked with crimson. Midseason 1.50	3.00
210-	-Lafavette (Dessert, 1904). Dark carmine pur-	
	ple, silver tipped. Midseason 5.00  -Lamartine (Calot, 1860). Pale lilac rose,	<b>7.5</b> 0
213—	-Lamartine (Calot, 1860). Pale lilac rose,	2.00
214	darker center. Early 1.50	3.00
214—	-La Perle (Crousse, 1885). Very light pink, blush center, flecked carmine. Midseason. 2.50	5.00
215-	-La Roziere (Crousse, 1888). Pure white shad-	0.00
	-La Roziere (Crousse, 1888). Pure white shading to cream in center. Midseason 1.50	3.00
216-	-La Tendresse (Crousse, 1896). Milk white,	
	slightly splashed crimson. Early 1.50	3.00
217	-La Tulipe (Calot, 1872). Lilac white, outer petals striped crimson. Late midseason. 1.00	2.00
210	petals striped crimson. Late midseason. F.1.00	2.00
219—	-L'Eclatante (Calot, 1860). Brilliant red. Midseason	4.00
220-	-L'Etincelante (Dessert). See page 14	
	-Livingstone (Crousse, 1879). Pale lilac rose,	
	silver tipped, some carmine spots. Late 1.00	2.00
223-	-Louis Van Houttei (Delache, 1854). Dark	
	crimson. Late 1.00	2.00
224	-Louise Renault (Crousse, 1881). Dark red with manye shades. Very late 1.00	2.00
225		2.00
	-Lurano (Pleas). Light pink. Midseason 1.00 -Lucienne (Dessert, 1909). See page 14	2.00
	-Lutea plenissima (Buyck, 1842). Cream white	
221-	collar with sulphur white center. Early	
	midseason 1.00	2.00
228—	-L'Indispensable. Lilac white fading to violet	2.00
	rose toward center 1.50	3.00
	-Le Jour (Shaylor). See page 14	
	-L'Innocence (Shaylor). See page 14	
233—	-Mme. Auguste Dessert (Dessert, 1899). Uni-	
	form violet rose slightly flecked crimson.  Early midseason	5.00
235—	-Mme. Barillet Deschamps (Calot, 1868).	
	Clear violet rose fading to a delicate silver	-
	pink. Midseason 1.00	2.00

		2-yr. ea.	3-yr. ea.
236	-Mme. Benard (Verdier, 1855). Uniform pale lilac rose flecked crimson. Midseason	\$1.00	\$2.00
238	<ul> <li>Mme. Benard (Verdier, 1855). Uniform pale lilac rose flecked crimson. Midseason</li> <li>Mme. Bollet (Calot, 1867). Pale lilac pink with silvery reflex. Late midseason</li> </ul>	1.00	2.00
239—	-Mme. Boulanger (Crousse, 1886). Glossy soft pink shaded lilac with silvery flesh border. Late midseason	5.00	7.50
240—	-Mme. Breon (Guerin, 1850). White with shell pink collar. Early	1.00	2.00
	-Mme. Bucquet (Dessert, 1888). Uniform very dark crimson amaranth. Midseason	1.50	3.00
242	-Mme. Calot (Miellez, 1856). Very pale pink center, shaded darker, silver tint. Early	1.00	2.00
243	-Mme. Camille Bancel (Crousse, 1897). Uni- form deep pink with silver shades. Late	1.00	2.00
	-Mme. Chaumy (Calot, 1864). Pale lilac rose, center slightly darker. Midseason	1.00	2.00
245-	-Mme. Coste (Calot, 1873). Pale hydrangea pink with cream white collar flecked with crimson. Early	1.00	2.00
246—	-Mme. Crousse (Calot, 1866). Pure white with faint crimson markings. Midseason	1.00	2.00
247—	-Mme. de Galhau (Crousse, 1883). Pale lilac rose with a rose white collar. Late	1.50	3.00
248	-Mme. de Govin (Crousse, 1875). Very pale pink fading at the center. Late	1.00	2.00
250—	-Mme. de Vatry (Guerin, 1863). Milk white, lilac white collar, center splashed with crimson. Midseason	1.00	2.00
251-	-Mme. de Verneville (Crousse, 1885). Pure white, center tipped with carmine. Early.	1.00	2.00
252—	-Mme. d'Hour (Calot, 1864). Light pink, silver tipped, center shaded darker. Mid- season	1.50	3.00
253	-Mme. Ducel (Mechin, 1880). Light rose with silvery reflex. Early	1.00	2.00
254—	-Mme. Emile Galle (Crousse, 1881). Very soft pink changing to milk white in center. Late		
255—	Late -Mme. Emile Lemoine (Lemoine, 1899). Pure milk white, collar streaked scarlet. Mid-	1.50	3.00
256	season	1.50	3.00
250-	-Mme. Forel (Crousse, 1881). Violet rose, silver-tipped center. Late	1.00	2.00
259—	-Mme. Hutin (Crousse, 1892). Very bright deep violet rose. Midseason	1.00	2.00
	-Mme. Jules Calot (Calot, 1869). Lilac white with some carmine flecks in center. Mid- season	3.00.	5.00
261—	-Mme. Jules Dessert (Dessert, 1909). White shaded with pink and straw yellow. Mid- season		15.00
262—	-Mme. Lebon (Calot, 1855). Showy cherry pink to aniline red. Late	1.00	2.00
263-	-Mme. Lemoine (Calot, 1864). Light violet rose with milk white center. Midseason	5.00	7.50

2	2-yr.	3-yr.
264 Mars Tamainan (Calas 1967) D.1. 11.	ea.	ea.
264—Mme. Lemoiner (Calot, 1865). Pale lilac		
rose fading to lilac white, collar splashed with crimson. Midseason to late	\$1.00	\$2.00
265—Mme. Loise Mere (Calot, 1863). Flesh white with carmine spots at center. Midseason	1.00	2.00
266-Mme. Mechin (Mechin, 1880). Deep purple		
garnet. Midseason	1.50	3.00
267-Mme. Manchet (Dessert, 1913). Silvery white		
shaded with purplish pink at base of petals.	5.00	7.50
Very late	5.00	7.50
268—Mme. Moreau (Crousse, 1881). Violet rose with darker center. Early	1.50	3.00
269—Mme. Muyssart (Calot, 1869). Uniform dark	1.00	0.00
pink tipped silver. Late	1.00	2.00
270-Mme. Reignoux (Dessert, 1909). Dark pink		
with silver border. Very early	3.00	5.00
271—Mme. Moutot (Crousse, 1892). Cerise pink		
streaked white. Midseason	1.00	2.00
274—Madeleine Gauthier (Dessert, 1909). See		
page 14		
276—Mlle. Leonie Calot (Calot, 1861). Very delicate shell pink, center darker. Late mid-		
cate shell pink, center darker. Late mid-	1.00	2.00
season	1.00	2.00
form pure mauve, silver tipped. Midseason.	1.00	2.00
278—Mlle. Rosa Rendatler (Calot, 1867). Light		
pink with cream center lightly flecked.		
Midseason	1.00	2.00
279-Mlle, Rousseau (Crousse, 1886). Milk white		
splashed carmine. Late	3.00	5.00
282—Marcelle Dessert (Dessert, 1899). Milk white splashed with lilac and crimson. Midseason.	F 00	7 50
	5.00	7.50
283—Marc Maunoir. Very dark crimson. Mid- season	1.00	2.00
284—Marechal Vaillant (Calot, 1867). Very dark	1.00	2.00
aniline red. Very late	2.50	5.00
285—Marguerite Gerard (Crousse, 1892). Very		
pale salmon pink fading to almost white.		
Late	1.00	2.00
289—Marie Deroux (Crousse, 1881). Lilac white	1.00	2.00
with light collar. Late	1.00	2.00
290—Marie d'Hour (Calot, 1883). Pale pink, darker center, flecked carmine. Midseason	1.00	2.00
291—Marie Jacquin (Verdier). See page 14	1.00	2.00
292—Marie Lemoine (Calot, 1869). Pure white		
with cream white center. Very late	1.00	2.00
297-Marquis C. Lagergreen (Dessert, 1911). Bril-		
liant cerise. Early midseason	3.00	5.00
299—Mistral (Dessert). See page 14		
300-Mireille (Crousse, 1894). Milk white. Late.	1.50	3.00
301-Modele de Perfection (Crousse, 1875). Light		
pink, silver tipped, darker center. Late	2.50	5.00
302-Modeste Guerin (Guerin, 1845). Uniform	1.00	2.00
light solferino red. Midseason	1.00	2.00
305—Mikado (Japan). See page 14		

		2-yr. ea.	3-yr. ea.
	-Mrs. C. W. Ward. See page 14		
309—	-Mons. Bastien Lepage (Crousse, 1885). Uni- form pure mauve, silvery reflex. Midsea-	- - - ¢2 50	\$5.00
310	-Mons. Boucharlataine (Calot, 1868). Ligh	.φ∴.υ∪ +	φυ.υυ
	pink with silvery reflex. Midseason	. 1.00	2.00
311—	-Mons. Dupont (Calot, 1872). Milk white center splashed with crimson. Late mid season	. 1.00	2.00
312—	-Mons. Gilbrain (Crousse, 1875). Amarantl red shaded with lilac. Late	1	2.00
313—	-Mons. Jules Elie (Crousse, 1888). Pale lilad rose with silvery reflex. Early	c	3.00
314_	-Mons. Krelage (Crousse, 1883). Solfering red, silver tips. Late	3.00	5.00
315	-Mons. Martin Cahuzac (Dessert, 1899). Very	. 3.00	3.00
	dark purple garnet with black reflex. Early midseason	y . 5.00	7.50
318—	-Mons. Galland (Crousse, 1875). Red shaded violet. Midseason	1 3.00	5.00
319-	-Mons. Chevreul (Dessert, 1893). Lilac pink Midseason		2.00
321—	-Mont Blanc (Lemoine, 1899). Milk white center slightly tinted rose. Early midsea		
222	son	. 5.00	<b>7.5</b> 0
	violet rose. Late midseason	. 1.00	2.00
	-Noemie Demay (Calot, 1867). Dark pink fad ing lighter with age. Late midseason	. 1.00	2.00
	-Nymphe (Dessert). See page 14		
	-Octave Demay (Calot, 1867). Very pale pink collar almost white. Early	. 1.50	3.00
	-Othello (Dessert, 1910). See page 14		
	<ul> <li>Odette (Dessert, 1908). Very tender lilad with some yellow in center. Midseason</li> </ul>	. 3.00	5.00
334	-Paul Verdier (Calot, 1869). Uniform carmine rose. Midseason		2.00
335—	-Philomele (Calot, 1861). Yellow fading to cream with bright pink collar and crown	) I.	
	Midseason	. 2.50	5.00
336-	-Petite Renee (Dessert, 1899). Dark pink Midseason	i. . 1.00	2.00
337—	-Perle Rose (Dessert). See page 14		<b></b> 00
	-Perle Blanche (Dessert). See page 14		
339_	-Perfection (Richardson, 1869). Very pal-	e	
307—	shell pink, base of petals shaded deeper very late	•.	3.00
340-	-Pierre Dessert (Dessert & Mechin, 1890)	١.	<b>=</b> 0
241	Dark purplish crimson. Early	. 2.50	5.00
	-Pierre Reignoux (Dessert, 1908). Uniform light tyrian rose. Early	. 1.00	2.00
	-Pierre Duchartre (Crousse, 1895). Tende flesh white. Very late	. 1.50	3.00
343	-Pomponette (Dessert, 1909). Bright pinl	k . 5.00	7.50

	e e e e e e e e e e e e e e e e e e e	2-yr. ea.	3-yr. ea.
344-	-Prince Imperial (Calot, 1859). Amarantlered. Late midseason	1 .\$1.00	\$2:00
345—	-Princess Ellen (Terry). Uniform pale lilac pink. Late	2	3.00
346—	-Princess of Wales (Kelway). Pale lilac rose guards flecked crimson, clear center. Late.	,	2.00
	-Princesse Mathilde (Dessert, 1909). See page 14		
350-	-Primevere (Lemoine, 1907). Sulphur white with yellowish center. Midseason		15.00
352—	- <b>Pulcherrima</b> (Guerin, 1842). Pink with createrflex flecked crimson. Midseason	m . 1.00	2.00
	- <b>Purpurea superba</b> (Delache, 1855). Uniform dark purple. Midseason	1.50	3.00
361–	- <b>Raphael</b> (Mechin, 1882). Dark purplish garnet. Early	1.50	3.00
	- <b>Rene Potard</b> (Bichet, 1882). Dark solfering red. Midseason	1.50	3.00
	-Rose d'Amour (Calot, 1857). Delicate flesh pink	. 1.00	2.00
	-Rubra superba (Richardson, 1871). Deep carmine crimson. Very late	. 1.00	2.00
	-Rubra triumphans (Guerin, 1840). Very dark crimson. Early	. 2.50	5.00
	Sappho (Lemoine, 1900). Pure mauve with silvery reflex. Midseason	. 1.00	2.00
	-Simone Chevalier (Dessert, 1902). Pale lilac rose with cream white collar. Early -Seiriu Somae (Japan). Large milk white	. 1.00	2.00
	<ul> <li>Seiriu Somae (Japan). Large milk white collar with sulphur white center</li> <li>Souvenir de Belleville (Calot, 1861). Very</li> </ul>	5.00	7.50
	soft delicate pink. Midseason	. 1.50	3.00
	Uniform pale lilac rose. Very late  -Souvenir du Docteur Bretonneau (Dessert	. 1.00	2.00
	1896). Dark tyrian rose. Midseason  Souvenir de l'Exposition du Mans (Mechin	1.00	2.00
360	1880). Reddish violet with silvery reflex Midseason		2.00
381–	Souvenir de l'Exposition Universelle (Calot 1867). Clear cerise pink with silvery re	,	• • •
382–	flex. Late midseason	. 1.00 e	2.00
	with silvery reflex. Midseason  Stanley (Kelway). See page 14		3.00
	-Sea Foam (Peterson). Lilac white collar witl cream white center. Midseason	. 1.00	2.00
	-Suzanne Dessert (Dessert & Mechin, 1890) Clear rose pink, Midseason	. , 2.50	5.00
390-	-Souvenir de l'Exposition de Bordeaux (Des sert, 1896). Bluish violet with wine color	r.	3.00
394_	reflex — <b>Tago-no-tsuki</b> (Japan). Light pink shadec yellow	1	7.50

	2-yr. ea.	3-yr.
395—Teniers (Crousse, 1880). Uniform, purple		
garnet. Late	\$1.00	\$2.00
397—Tourangelle (Dessert, 1910). Flesh pink and		
salmon Late	7.50	10.00
398—Torpilleur. See page 14		
399Tecumseh (Terry). Dark crimson. Late	5.00	<b>7.5</b> 0
402— <b>Triomphe de l'Exposition de Lille</b> (Calot, 1865). Very pale pink splashed with a darker tint. Midseason	1.00	2.00
403—Triomphe du Nord. Purplish pink. Mid-		
season	1.00	2.00
405—Umbellata rosea. Violet rose collar with amber white center. Very early	1.00	2.00
408—Victoire de l'Alma (Calot, 1860). Purplish		
scarlet. Late midseason	1.00	2.00
410—Venise (Dessert). See page 14		
411—Vesuve (Dessert). See page 14		
413—Virginie (Calot, 1858). Lilac rose with a lighter collar. Midseason	1.00	2.00
414—Virgo Maria (Calot, 1859). Pure ivory white.	1.50	3.00
416—Venus (Kelway). Very delicate pale pink	1.50	3.00
with lighter collar. Midseason	2.50	5.00
shaded yellow and rose. Midseason	5.00	7.50
424—Welcome Guest (Hollis, 1904). Bright rose fading lighter. Midseason	3.00	5.00
425—Walter Faxon (Richardson). Clear bright pink. Midseason	7.50	10.00
428—Zoe Calot (Miellez, 1885). Soft pink shaded lilac. Midseason	1.00	2.00
431—Single White. See page 14		
750—Officinalis rubra. Brilliant crimson. Early		
May	1.00	2.00
Circula and Innoversa Wanish		
Single and Japanese Varieti		2
· ''s	2-yr. ea.	3-yr. ea.
4 Akalu (Japan). Crimson carmine	\$5.00	\$7.50
18-Attraction (Hollis, 1906). Tyrian rose, center petals tipped yellow. Midseason. Japanese.	3.00	5.00
51—Camille (Dessert, 1909). Bright purple shaded	2.00	<b>5</b> 00
violet	3.00	5.00
53—Carnot (Dessert, 1913). Brilliant garnet	5.00	7.50 7.50
64—Clairette (Dessert). Pure white	5.00	7.50
97—Deborah Sayres (Shaylor). Pink	5.00	7.50
Midseason. Japanese	1.50	2.50
175— <b>Hesperus</b> (Thurlow). Clear pink. Mid-		
season	5.00	7.50
178 <b>Ho Gioku.</b> Pure white-yellow thread-like petals at center changing to white	5.00	7.50

	2-yr.	3-yr.
	ea.	ea.
201—Karafune (Japan). Very soft salmon thread-like petals. Ear	lavender with rly. Japanese.\$1.00	\$2.00
202Kumagoe (Japan). Deep carm		
ated with white. Japanese	5.00	7.50
203—Kinokimo. Crimson carmine s		7.50
204—Kameno Kerogama. Crimson ca		,,,,
stamens streaked carmine	5.00	7.50
205-La Fraicheur (Dessert). Light	t pink 2.00	3.00
205—La Fraicheur (Dessert). Light 220—L'Etincelante (Dessert). Brigh	ht purple car-	2.00
mine. Midseason	2.00	3.00
226-Lucienne (Dessert, 1909). Whit	e shaded with	
purple fading to pure white.		<b>7.5</b> 0
229—Le Jour (Shaylor). White		7.50
230-L'Innocence (Shaylor). Whit	e 5.00	7.50
274-Madeleine Gauthier (Dessert, 19	909). Delicate	
silvery flesh pink. Midseason	1 5.00	7.50
291-Marie Jacquin (Verdier). Rose	white fading	
to white. Midseason	1.00	2.00
299-Mistral (Dessert). Very bright	carmine pink. 5.00	7.50
305-Mikado (Japan). Lilac purple,		
ish. Midseason. Japanese .	5.00	7.50
307-Mrs. C. W. Ward. Dark pink		5.00
324—Nymphe (Dessert). Flesh pink		7.50
329—Othello (Dessert, 1910). Car		
Midseason	5.00	7.50
337—Perle Rose (Dessert). Clear cl	nina pink with	
silvery border	5.00	7.50
338—Perle Blanche (Dessert). Pur		7.50
348—Princesse Mathilde (Dessert,		
pink with silvery border. Ve	erv early 5.00	7.50
383-Stanley (Kelway). Dark cris	mson. Early	
midseason	1.00	2.00
396-Tokio (Japan). Clear carmine		7.50
398—Torpilleur. Carmine purple c	ollar 5.00	7.50
407—Veloutine (Dessert, 1909).	Carrier nurnle	,
with velvety reflex		7.50
410—Venise (Dessert). Brilliant pir		
mine		7.50
411—Vesuve (Dessert). Dark red wi	th metallic re-	
flex	<b>5.</b> 00	7.50
431-No Name. White. Early mid		3.00
450—No Name. Purplish red. Mids		
nese	5.00	7.50

# Notes

# Notes

